VOLUME 77 • AUTHOR INDEX

Abbott M *see* Sugunendran H *et al*
Adriaanse AH *see* Reesink-Peters N *et al*
Ahluwalia A *see* Rai R *et al*
Ahmad S *see* Radcliffe KW *et al*
Ahmed J *see* Bogaerts J *et al*
Akhter N *see* Bogaerts J *et al*
Albrecht D *see* Plettenberg A *et al*
Alessandrini A *see* Girardi E *et al*
Allard R *see* Vanhems P *et al*
Allason-Jones E. The Diploma in Genitourinary Medicine (London Society of Apothecaries): *editorial*, **81**
Aloisi MS *see* Girardi E *et al*
Andalò F *see* D'Antuono A *et al*
Andersen B *et al*. Effectiveness of a mass media campaign to recruit young adults for testing of *Chlamydia trachomatis* by use of home obtained and mailed samples, **416**
Angunawela RM *et al*. Ejaculatory pain associated with a pelvic arteriovenous malformation, **385**
Arndt R *see* Plettenberg A *et al*
Arya OP *et al*. Is *Mycoplasma hominis* a vaginal pathogen?, **58**
Ashbee HR *see* El-Din SS *et al*
Ashley RL. Sorting out the new HSV type specific antibody tests: *review*, **232**

Baguley SDK, Smith MEF. Syringomata: an unusual differential diagnosis of anogenital warts, **292**
Bailey R *see* Shaw M *et al*
Bailis SA. Circumcision and STD in the United States: *letter*, **462**
Bandea CI *et al*. Typing of *Chlamydia trachomatis* strains from urine samples by amplification and sequencing the major outer membrane protein gene (*omp1*) , **419**
Barakauskiene J *see* Domeika M *et al*
Barlow D *see* Low N *et al*
Barnett SD, Brundage JF. Incidence of recurrent diagnoses of *Chlamydia trachomatis* genital infections among male and female soldiers of the US army, **33**
Barton RC *see* El-Din SS *et al*
Barton SE *see* Khan WA *et al*
Bates SM *see* Rogstad KE *et al*
Begum N *see* Bogaerts J *et al*
Belli L *see* Famiglietti A *et al*
Bergin C *see* Hopkins S *et al*
Berry G *see* Tideman RL *et al*
Bhullar V *see* Bandea CI *et al*
Biberfeld G *see* Mwakagile D *et al*
Bird SM *see* Mir N *et al*
Birley H. Dangers of the sexual health strategy: *letter*, **463**
Shimo la Mungu, **73**
The Society of Apothecaries Diploma examination in Genitourinary Medicine: death of the viva voce?: *letter*, **223**
Birley HDL *see* Sugunendran H *et al*
Bjekić M *et al*. Trends of gonorrhoea and early syphilis in Belgrade, 1985–99, **387**
Black CM *see* Bandea CI *et al*
Boeke AJP *see* van Valkengoed IGM *et al*
Boeke AJP *et al*. The golden nugget, **299**
Bogaerts J *et al*. Sexually transmitted infections among married women in Dhaka, Bangladesh: unexpected high prevalence of herpes simplex type 2 infection, **114**
Bolding G *see* Elford J *et al*
Bond R *see* Evans B *et al*
Booth T *see* Jungmann EM *et al*
Bouter LM *see* Boeke AJP *et al*
see van Valkengoed IGM *et al*
Bowen AM *see* Williams M *et al*
Bower M *see* Martin F and Bower M
Brathwaite W *see* Burstein GR *et al*
Brito de Sá A *see* Gomes JP *et al*
Brochu P *see* Oligny LL *et al*
Brook MG, Miller RF. HIV associated nephropathy: a treatable condition, **97**
Brown M *see* Myziuk L *et al*
Brown M *et al*. Deterioration of disseminated cutaneous *Mycobacterium avium* complex infection with a leukaemoid reaction following institution of highly active antiretroviral therapy: *letter*, **149**
Brown TM *see* Bandea CI *et al*
Brundage JF *see* Barnett SD and Brundage JF
Bull SS *see* Fortenberry JD *et al*
Burger MPM *see* Reesink-Peters N *et al*
Burstein GR *et al*. Predictors of repeat *Chlamydia trachomatis* infections diagnosed by DNA amplification testing among inner city females, **26**
Buscemi L *see* Fiorito S *et al*
Butt A *et al*. Economic advantages of ligase chain reaction for diagnosis of genital *Chlamydia trachomatis infection in GUM clinic attenders: letter*, **227**
Butylkina R *see* Domeika M *et al*
Bwayo JJ *see* Fonck K *et al*
see Mohamed OA *et al*

Cannon S *see* Pitts MK *et al*
Carballo M *see* Girardi E *et al*
Carder C *see* Fenton KA *et al*
Carlà EM *see* D'Antuono A *et al*
Carlin E *see* Kingston M *et al*
Carosi G *see* Girardi E *et al*
Carter P *see* Poulton M *et al*
Cartledge JD *see* Smith A *et al*
Casco R *see* Famiglietti A *et al*
Caslake M *see* Shahmanesh M *et al*
Catchpole M *see* Nicoll A *et al*
Catry MA *see* Gomes JP *et al*
Caul EO *see* Eley A *et al*
Ceesay S *see* Shaw M *et al*
Chaisilwattana P *see* Bandea CI *et al*
Changalucha J *see* Todd J *et al*
Chen MY *et al*. Post-exposure prophylaxis for human immunodeficiency virus: knowledge and experience of junior doctors, **444**
Chia JKS *see* Hsu SL and Chia JKS
Chidiac C *see* Vanhems P *et al*
Childs K *see* Kingston M *et al*
Choudhury P *see* Gibney L *et al*
Chua F *see* Islam F *et al*
Cleland J *see* Wellings K and Cleland J
Cohen CR *see* Mohamed OA *et al*
Coll-Seck A *see* Seck K *et al*
Copas A *see* Fenton KA *et al*
Corfield AP *see* Wiggins R *et al*
Coutinho RA *see* Stolte IG *et al*
see van Benthem BHB *et al*
Cramb R *see* Shahmanesh M *et al*
Cremonini L *see* Girardi E *et al*
Cunningham A *see* Tideman RL *et al*
Cunningham AL *see* Eberhart-Phillips JE *et al*
Curtis S *see* Poulton M *et al*

Daniel RW *see* Shah KV *et al*
D'Antuono A *et al*. Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy, **220**
Davies JL *see* Lamba H *et al*
Day S. Choosing and using services for sexual health: women's views: *editorial*, **305**
Dean GL *see* Poulton M *et al*
de Angelis D *see* Nicoll A *et al*
Delaporte E *see* Seck K *et al*
de Mier CA *see* Famiglietti A *et al*
Der GJ *see* Williamson LM *et al*
Deruiter A *see* Jungmann EM *et al*
de Silva AH *see* Angunawela RM *et al*
Desilva Y *see* Shahmanesh M *et al*
Deslandes S *see* Morency P *et al*
De Tommaso S *see* D'Antuono A *et al*
de Torres RA *see* Famiglietti A *et al*
Devillé W *see* Boeke AJP *et al*
de Wit JBF *see* Stolte IG *et al*
Dhar J *see* Herieka E and Dhar J
see Herieka E and Dhar J
Dhénain M *see* Vanhems P *et al*
Dickson NP *see* Eberhart-Phillips JE *et al*
Diener-West M *see* Burstein GR *et al*
Dixon S *see* Rogstad KE *et al*
Dixon-Woods M *et al*. Choosing and using services for sexual health: a qualitative study of women's views, **335**
Doda V *see* Kar HK *et al*
Domeika M *et al*. Prevalence of *Chlamydia trachomatis* infections in women attending six women's healthcare units in Kaunas, Lithuania, **459**
Donde UM *see* Mania-Pramanik J *et al*
Donnelly M *see* Nicoll A *et al*
Donoghue S *see* Jungmann EM *et al*
Dowe G *see* Smikle M *et al*
Dubois MJ *see* Morency P *et al*
Dukers NHTM *see* Stolte IG *et al*
Duncan B *see* Scoular A *et al*

VOLUME 77 • AUTHOR INDEX

Abbott M *see* Sugunendran H *et al*
Adriaanse AH *see* Reesink-Peters N *et al*
Ahluwalia A *see* Rai R *et al*
Ahmad S *see* Radcliffe KW *et al*
Ahmed J *see* Bogaerts J *et al*
Akhter N *see* Bogaerts J *et al*
Albrecht D *see* Plettenberg A *et al*
Alessandrini A *see* Girardi E *et al*
Allard R *see* Vanhems P *et al*
Allason-Jones E. The Diploma in Genitourinary Medicine (London Society of Apothecaries): *editorial*, **81**
Aloisi MS *see* Girardi E *et al*
Andalò F *see* D'Antuono A *et al*
Andersen B *et al*. Effectiveness of a mass media campaign to recruit young adults for testing of *Chlamydia trachomatis* by use of home obtained and mailed samples, **416**
Angunawela RM *et al*. Ejaculatory pain associated with a pelvic arteriovenous malformation, **385**
Arndt R *see* Plettenberg A *et al*
Arya OP *et al*. Is *Mycoplasma hominis* a vaginal pathogen?, **58**
Ashbee HR *see* El-Din SS *et al*
Ashley RL. Sorting out the new HSV type specific antibody tests: *review*, **232**

Baguley SDK, Smith MEF. Syringomata: an unusual differential diagnosis of anogenital warts, **292**
Bailey R *see* Shaw M *et al*
Bailis SA. Circumcision and STD in the United States: *letter*, **462**
Bandea CI *et al*. Typing of *Chlamydia trachomatis* strains from urine samples by amplification and sequencing the major outer membrane protein gene (*omp1*) , **419**
Barakauskiene J *see* Domeika M *et al*
Barlow D *see* Low N *et al*
Barnett SD, Brundage JF. Incidence of recurrent diagnoses of *Chlamydia trachomatis* genital infections among male and female soldiers of the US army, **33**
Barton RC *see* El-Din SS *et al*
Barton SE *see* Khan WA *et al*
Bates SM *see* Rogstad KE *et al*
Begum N *see* Bogaerts J *et al*
Belli L *see* Famiglietti A *et al*
Bergin C *see* Hopkins S *et al*
Berry G *see* Tideman RL *et al*
Bhullar V *see* Bandea CI *et al*
Biberfeld G *see* Mwakagile D *et al*
Bird SM *see* Mir N *et al*
Birley H. Dangers of the sexual health strategy: *letter*, **463**
Shimo la Mungu, **73**
The Society of Apothecaries Diploma examination in Genitourinary Medicine: death of the viva voce?: *letter*, **223**
Birley HDL *see* Sugunendran H *et al*
Bjekić M *et al*. Trends of gonorrhoea and early syphilis in Belgrade, 1985–99, **387**
Black CM *see* Bandea CI *et al*
Boeke AJP *see* van Valkengoed IGM *et al*
Boeke AJP *et al*. The golden nugget, **299**
Bogaerts J *et al*. Sexually transmitted infections among married women in Dhaka, Bangladesh: unexpected high prevalence of herpes simplex type 2 infection, **114**
Bolding G *see* Elford J *et al*
Bond R *see* Evans B *et al*
Booth T *see* Jungmann EM *et al*
Bouter LM *see* Boeke AJP *et al*
see van Valkengoed IGM *et al*
Bowen AM *see* Williams M *et al*
Bower M *see* Martin F and Bower M
Brathwaite W *see* Burstein GR *et al*
Brito de Sá A *see* Gomes JP *et al*
Brochu P *see* Oligny LL *et al*
Brook MG, Miller RF. HIV associated nephropathy: a treatable condition, **97**
Brown M *see* Myziuk L *et al*
Brown M *et al*. Deterioration of disseminated cutaneous *Mycobacterium avium* complex infection with a leukaemoid reaction following institution of highly active antiretroviral therapy: *letter*, **149**
Brown TM *see* Bandea CI *et al*
Brundage JF *see* Barnett SD and Brundage JF
Bull SS *see* Fortenberry JD *et al*
Burger MPM *see* Reesink-Peters N *et al*
Burstein GR *et al*. Predictors of repeat *Chlamydia trachomatis* infections diagnosed by DNA amplification testing among inner city females, **26**
Buscemi L *see* Fiorito S *et al*
Butt A *et al*. Economic advantages of ligase chain reaction for diagnosis of genital *Chlamydia trachomatis infection in GUM clinic attenders: letter*, **227**
Butylkina R *see* Domeika M *et al*
Bwayo JJ *see* Fonck K *et al*
see Mohamed OA *et al*

Cannon S *see* Pitts MK *et al*
Carballo M *see* Girardi E *et al*
Carder C *see* Fenton KA *et al*
Carlà EM *see* D'Antuono A *et al*
Carlin E *see* Kingston M *et al*
Carosi G *see* Girardi E *et al*
Carter P *see* Poulton M *et al*
Cartledge JD *see* Smith A *et al*
Casco R *see* Famiglietti A *et al*
Caslake M *see* Shahmanesh M *et al*
Catchpole M *see* Nicoll A *et al*
Catry MA *see* Gomes JP *et al*
Caul EO *see* Eley A *et al*
Ceesay S *see* Shaw M *et al*
Chaisilwattana P *see* Bandea CI *et al*
Changalucha J *see* Todd J *et al*
Chen MY *et al*. Post-exposure prophylaxis for human immunodeficiency virus: knowledge and experience of junior doctors, **444**
Chia JKS *see* Hsu SL and Chia JKS
Chidiac C *see* Vanhems P *et al*
Childs K *see* Kingston M *et al*
Choudhury P *see* Gibney L *et al*
Chua F *see* Islam F *et al*
Cleland J *see* Wellings K and Cleland J
Cohen CR *see* Mohamed OA *et al*
Coll-Seck A *see* Seck K *et al*
Copas A *see* Fenton KA *et al*
Corfield AP *see* Wiggins R *et al*
Coutinho RA *see* Stolte IG *et al*
see van Benthem BHB *et al*
Cramb R *see* Shahmanesh M *et al*
Cremonini L *see* Girardi E *et al*
Cunningham A *see* Tideman RL *et al*
Cunningham AL *see* Eberhart-Phillips JE *et al*
Curtis S *see* Poulton M *et al*

Daniel RW *see* Shah KV *et al*
D'Antuono A *et al*. Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy, **220**
Davies JL *see* Lamba H *et al*
Day S. Choosing and using services for sexual health: women's views: *editorial*, **305**
Dean GL *see* Poulton M *et al*
de Angelis D *see* Nicoll A *et al*
Delaporte E *see* Seck K *et al*
de Mier CA *see* Famiglietti A *et al*
Der GJ *see* Williamson LM *et al*
Deruiter A *see* Jungmann EM *et al*
de Silva AH *see* Angunawela RM *et al*
Desilva Y *see* Shahmanesh M *et al*
Deslandes S *see* Morency P *et al*
De Tommaso S *see* D'Antuono A *et al*
de Torres RA *see* Famiglietti A *et al*
Devillé W *see* Boeke AJP *et al*
de Wit JBF *see* Stolte IG *et al*
Dhar J *see* Herieka E and Dhar J
see Herieka E and Dhar J
Dhénain M *see* Vanhems P *et al*
Dickson NP *see* Eberhart-Phillips JE *et al*
Diener-West M *see* Burstein GR *et al*
Dixon S *see* Rogstad KE *et al*
Dixon-Woods M *et al*. Choosing and using services for sexual health: a qualitative study of women's views, **335**
Doda V *see* Kar HK *et al*
Domeika M *et al*. Prevalence of *Chlamydia trachomatis* infections in women attending six women's healthcare units in Kaunas, Lithuania, **459**
Donde UM *see* Mania-Pramanik J *et al*
Donnelly M *see* Nicoll A *et al*
Donoghue S *see* Jungmann EM *et al*
Dowe G *see* Smikle M *et al*
Dubois MJ *see* Morency P *et al*
Dukers NHTM *see* Stolte IG *et al*
Duncan B *see* Scoular A *et al*

Eberhart-Phillips JE *et al.* Rising incidence and prevalence of herpes simplex type 2 infection in a cohort of 26 year old New Zealanders, **353**
Edwards S *see* Jungmann EM *et al*
Elam G *see* Fenton KA *et al*
El-Din SS *et al.* An investigation into the pathogenesis of vulvo-vaginal candidosis, **179**
Eley A *et al.* Prevalence of *Chlamydia trachomatis* IgG antibodies in antenatal patients from Trinidad: *letter*, **301**
Elford J *et al.* HIV positive and negative homosexual men have adopted different strategies for reducing the risk of HIV transmission: *letter*, **224**
Entz A *et al.* STD history, self treatment, and healthcare behaviours among fishermen in the Gulf of Thailand and the Andaman Sea, **436**
Erens B *see* Fenton KA *et al*
Erwin J *see* Knowles C *et al*
Eslick GD, Howell SC. Questionnaires and postal research: more than just high response rates: *letter*, **148**
Evans B *see* Nicoll A *et al*
Evans B *et al.* Rates of gonorrhoea and chlamydia in black ethnic groups: *letter*, **390**
Evans EGV *see* El-Din SS *et al*

Fabry J *see* Vanhems P *et al*
Falconi S *see* Oligny LL *et al*
Famiglietti A *et al.* Evolution of *Neisseria gonorrhoeae* drug susceptibility in Buenos Aires, Argentina, 1985–99, **142**
Feldblum PJ *see* Mohamed OA *et al*
Fennema JSA *see* Stolte IG *et al*
Fenner T *see* Plettenberg A *et al*
Fenton K *see* Nicoll A *et al*
see Simms I *et al*
Fenton KA *see* Paine TC *et al*
Fenton KA *et al.* Measuring sexual behaviour: methodological challenges in survey research, **84**
Resurgence of syphilis in England: time for more radical and nationally coordinated approaches: *editorial*, **309**
The acceptability of urinary LCR testing for *Chlamydia trachomatis* among participants in a probability sample survey of sexual attitudes and lifestyles, **194**
Feoli-Fonseca JC *see* Oligny LL *et al*
Ferrara M *see* Girardi E *et al*
Ferreira MA *see* Gomes JP *et al*
Fethers K, Morris M. Is bacterial vaginosis a sexually transmitted infection: *letter*, **390**
Field J *see* Fenton KA *et al*
Fiorito S *et al.* Emergence of high level ciprofloxacin resistant *Neisseria gonorrhoeae* strain in Buenos Aires, Argentina: *letter*, 77
Fisher M *see* Poulton M *et al*
see Poulton M *et al*
Fisk P *see* Herieka E and Fisk P
Flowers P *see* Williamson LM *et al*
Foley E, Patel R. Destigmatising STIs: remaining challenges, new opportunities: *editorial*, **306**
Foley E *et al.* Access to genitourinary medicine clinics in the United Kingdom, **12**
Fonck K *et al.* Sexually transmitted infections and vaginal douching in a population of female sex workers in Nairobi, Kenya, **271**
Ford K *see* Reed BD *et al*
Forster G *see* Kawsar M *et al*
Fortenberry JD *et al.* Relation of health literacy to gonorrhoea related care, **206**
Fox EF *see* Chen MY *et al*
Frankis JS *see* Williamson LM *et al*
Franks J *see* Wright S *et al*
French P *see* Prime K and French P
Frost E *see* Morency P *et al*

Galarza P *see* Fiorito S *et al*
Garcia SD *see* Famiglietti A *et al*
Gautam RK *see* Kar HK *et al*
Gavyole A *see* Todd J *et al*
Gaydos CA *see* Burstein GR *et al*
see Shah KV *et al*
Gaydos JC *see* Shah KV *et al*
Geary I *see* Eley A *et al*
Gelone SP *see* Nyirjesy P *et al*
Georgala C *see* Georgala S *et al*
Georgala S *et al.* Gonorrhoea control programme in Athens, 1974–98: *letter*, **458**
Ghosh A *see* Gokhale R *et al*
Ghys PD *see* Vuylsteke B *et al*
Giacobbi D *see* Girardi E *et al*
Gibney L *et al.* Prevalence of infectious diseases in Bangladeshi women living adjacent to a truck stand: HIV/STD/hepatitis/genital tract infections, **344**
Gill DK *see* Mayaud P *et al*
Gill ON *see* Nicoll A *et al*
Gilleran G *see* Radcliffe KW *et al*
Gillespie S *see* Islam F *et al*
Girardi E *et al.* Sexual behaviour of heterosexual individuals with HIV infection naive for antiretroviral therapy in Italy, **130**
Goberis M *see* Domeika M *et al*
Goddard AD *see* Arya OP *et al*
Gokhale R. Sexually shared infections, **149**
Gokhale R *et al.* Genital piercing and sexually transmitted infections: *letter*, **393**
Gokral JS *see* Mania-Pramanik J *et al*
Goldberg D *see* Mir N *et al*
Goldmeier D. Female low sexual desire and sexually transmitted infections, **293**
Obituaries: *letter*, **150**
Gomes JP *et al.* Pooling urine samples for PCR screening of *C trachomatis urogenital infection in women: letter*, **76**
Goon PKC *et al.* Third trimester screening or safer sex to prevent mother to child transmission of HIV: *letter*, **226**
Graham D *see* Lacey HB *et al*
Grant I *see* Wallace MR *et al*
Green N *see* Foley E *et al*
Green T *et al.* Genital herpes may mask underlying neoplasia: *letter*, **148**
The control of syphilis, a contemporary problem: a historical perspective: *review*, **214**
Grésenguet G *see* Morency P *et al*
Griffiths M *et al.* Uptake of HIV testing in a genitourinary medicine clinic is affected by individual doctors, **143**
Griffiths MH *see* Smith A *et al*
Grimley DM *see* Fortenberry JD *et al*
Grosskurth H *see* Mayaud P *et al*
see Todd J *et al*
Gupta AK *see* Kar HK *et al*
Gupta S, Kumar B. Dorsal perforation of prepuce due to locally erosive condylomata acuminata: *letter*, 77
Split median raphe: a cause of concern?, **138**

Habib AR *see* White DJ *et al*
Hallén A *see* Domeika M *et al*
Hammerschlag MR. Use of nucleic acid amplification tests in investigating child sexual abuse: *editorial*, **153**
Hans C *see* Kar HK *et al*
Harindra V *see* Tobin JM and Harindra V
Harindra V, Paffett MC. Recurrent eczema herpeticum: an underrecognised condition: *letter*, **76**
Hart CA *see* Arya OP *et al*
Hart G *see* Scoular A *et al*
Hart GJ *see* Williamson LM *et al*
Hassan MS *see* Gibney L *et al*
Hawkins DA. Oral sex and HIV transmission: *editorial*, **307**
Hayes R *see* Todd J *et al*
Hayes RJ *see* Mayaud P *et al*
Hayward MJ *see* Angunawela RM *et al*
Hemeg HA *see* Eley A *et al*
Hennessy M *see* Fortenberry JD *et al*
Henshaw PC *see* Skinner CJ *et al*
Henzel D *see* Seck K *et al*
Herbison GP *see* Eberhart-Phillips JE *et al*
Herieka E, Dhar J. Acute neonatal respiratory failure and *Chlamydia trachomatis* , **135**
Labial adhesions following severe primary genital herpes: *letter*, **75**
Herieka E, Fisk P. Methicillin resistant *Staphylococcus aureus* (MRSA) balanoposthitis in an insulin dependent diabetic male: *letter*, **223**
Herieka E *et al. Chlamydia trachomatis* reinfection rate: a forgotten aspect of female genital chlamydia management: *letter*, **223**
Hernon M *see* Gokhale R *et al*
Herring A *see* Eley A *et al*
see Paine TC *et al*
Hertogs K *see* Plettenberg A *et al*
Hicks DA, Waugh M. Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom: *letter*, **303**
Hicks SJ *see* Wiggins R *et al*
Higgins SP *see* Lacey HB *et al*
Hopkins S *et al.* The great pretender returns to Dublin, Ireland, **316**
Hopwood J *see* Simms I *et al*
Horner PJ *see* Taylor-Robinson D and Horner PJ
Howel J *see* Arya OP *et al*
Howell MR *see* Burstein GR *et al*
Howell SC *see* Eslick GD and Howell SC
Hsu SL, Chia JKS. Trovofloxacin for the treatment of chronic granuloma inguinale, **137**
Huengsberg M *see* Griffiths M *et al*
Hughes G *see* Nicoll A *et al*
Hughes S *see* Arya OP *et al*
Hutchinson S *see* Mir N *et al*
Hylton-Kong T *see* Smikle M *et al*

Innocenzi D *see* Micali G *et al*
Ippolito G *see* Girardi E *et al*
Islam F *et al.* Respiratory and cutaneous manifestations of disseminated cryptococcosis in AIDS: *letter*, 75
Ison C *see* Paine TC *et al*
Iversen A *see* Poulton M *et al*

Jain RK *see* Kar HK *et al*
Jakutiene R *see* Domeika M *et al*
Jaleel H *see* Shahmanesh M *et al*
Jarmulowicz M *see* Islam F *et al*
Johnson AM *see* Fenton KA *et al*
see Fenton KA *et al*
Johnson M *see* Islam F *et al*
Juceviciute V *see* Domeika M *et al*
Jungmann EM *et al.* Is first trimester exposure to the combination of antiretroviral therapy and folate antagonists a risk factor for congenital abnormalities?, **441**

Ka-Gina G *see* Mayaud P *et al*
Kaldor J *see* Miller PJ *et al*
Kapembwa MS *see* Prakash M *et al*
Kar HK *et al.* Increasing HIV prevalence in STD clinic attendees in Delhi, India: 6 year (1995–2000) hospital based study results: *letter*, **393**
Karikas G *see* Georgala S *et al*
Kaul R *see* Fonck K *et al*
Kaur I *see* Rai R *et al*
Kaviarasan PK *see* Vijaikumar M *et al*
Kawsar M *et al.* Graded challenge in an aciclovir allergic patient, **204**
Kegg S *et al.* Homosexual men, HIV, and sexual risk in 2001: *letter*, **325**
Keli F *see* Fonck K *et al*
Kell P *see* Wright S *et al*
Khan WA *et al.* Safer sex in HIV infected patients in London: practices and risks: *letter*, **394**
Khryanin AA *see* Reshetnikov OV *et al*
Kilmarx PH *see* Bandea CI *et al*
Kinchington F *see* Knowles C *et al*
Kinghorn G *see* Fenton KA *et al*
see Paine TC *et al*
Kinghorn GR *see* Morris MC *et al*
Kinghorn GR. Passion, stigma, and STI, **370**
Patient access to GUM clinics: *editorial*, **1**
Kingston M *et al.* Adverse reaction to antimycobacterials administered as a combination tablet with no reaction to the same drugs in isolation: *letter*, **392**
Kirby P *see* Arya OP *et al*
Kirk K *see* Gibney L *et al*
Knowles C *et al.* A randomised controlled trial of the effectiveness of combining video role play with traditional methods of delivering undergraduate medical education, **376**
Kocev N *see* Bjekić M *et al*
Konan Y *see* Vuylsteke B *et al*
Kopwe L *see* Mayaud P *et al*
Krivenchuk NA *see* Reshetnikov OV *et al*
Kubota K *see* Bandea CI *et al*
Kudesia G *see* Rogstad KE *et al*
Kumar B *see* Gupta S and Kumar B
see Gupta S and Kumar B
see Rai R *et al*
Kungu D *see* Mohamed OA *et al*
Kura MM *see* Pedhambkar RB *et al*
Kuyoh MA *see* Mohamed OA *et al*

Lacey CJN *see* Mayaud P *et al*
Lacey HB *et al.* An outbreak of early syphilis: cases from North Manchester General Hospital, **311**
Laga M *see* Vuylsteke B *et al*
Lamba H *et al.* Detection of chlamydia on meatal swabs: *letter*, **224**
Langford S *see* White DJ *et al*
Lanza A *see* Fiorito S *et al*
Lau R *see* Kegg S *et al*
Lauria FN *see* Girardi E *et al*
Law M *see* Miller PJ *et al*
Lawrence JS *see* Fortenberry JD *et al*
Leaman DJ *see* Nyirjesy P *et al*
Lee K *see* Mir N *et al*
Lever AML. Gene therapy for HIV: *review*, **93**
Levy DA *et al.* Deproteinised latex condoms are well tolerated by latex allergic patients, **202**
Leynadier F *see* Levy DA *et al*
Limnios EA *see* Lkhamsuren E *et al*
Lipman M *see* Islam F *et al*
Livingstone S *see* Nicoll A *et al*
Lkhamsuren E *et al.* The antibiotic susceptibility of *Neisseria gonorrhoeae* isolated in Ulaanbaatar, Mongolia, **218**
Longstaff E *see* von Krogh G and Longstaff E
Lorenzen T *see* Plettenberg A *et al*
Low N *et al.* Inequalities in rates of gonorrhoea and chlamydia between black ethnic groups in south east London: cross sectional study, **15**
Low-Beer TS. Ethics committee review of medical audit: a personal view from the United Kingdom, **72**
Lucas SB *see* Pao D *et al*
Lyall EGH *see* Goon PKC *et al*
Lyall H *see* Jungmann EM *et al*
Lyons F *see* Hopkins S *et al*

Mabey D *see* Todd J *et al*
Mabey DC *see* Mayaud P *et al*
Mabey D *et al.* Rapid and simple point of care diagnostics for STIs: *editorial*, **397**
McAdam K *see* Shaw M *et al*
Macaluso M *see* Gibney L *et al*
McCartney R *see* Butt A *et al*
McCormick A *see* Arya OP *et al*
McCoy HV *see* Williams M *et al*
McCutchan JA *see* Wallace MR *et al*
McElborough D *see* Poulton M *et al*
McElborough DJ. Guidelines for serological testing for syphilis: *letter*, **79**
McFarlane MM *see* Fortenberry JD *et al*
McKee Jr KT *see* Shah KV *et al*
McManus S *see* Fenton KA *et al*
MacRae K *see* Evans B *et al*
Maguire M *see* Elford J *et al*
Mah-Bi G *see* Vuylsteke B *et al*
Makwaya C *see* Mwakagile D *et al*
Mallinson H *see* Simms I *et al*
see Sugunendran H *et al*
Mandalia S *see* Khan WA *et al*
Mania-Pramanik J *et al. Chlamydia trachomatis* infection in an urban setting, **141**
Marcenac F *see* Famiglietti A *et al*
Marks C *see* Tideman RL *et al*
Martin F, Bower M. Anal intraepithelial neoplasia in HIV positive people: *review*, **327**
Martin I *see* Paine TC *et al*
Mâsse B *see* Morency P *et al*
Mayaud P *see* Todd J *et al*
Mayaud P *et al.* The interrelation of HIV, cervical human papillomavirus, and neoplasia among antenatal clinic attenders in Tanzania, **248**
Mberyo-Yaah F *see* Morency P *et al*
Mboup S *see* Seck K *et al*
Mbwana J *see* Mwakagile D *et al*
Meherji PK *see* Mania-Pramanik J *et al*
Meijer CJLM *see* Boeke AJP *et al*
see van Valkengoed IGM *et al*
Mercey D *see* Jungmann EM *et al*
Merks J *see* van Benthem BHB *et al*
Meyer T *see* Plettenberg A *et al*
Mhalu F *see* Mwakagile D *et al*
Micali G *et al.* Lichen sclerosus of the glans is significantly associated with penile carcinoma: *letter*, **226**
Millar MR *see* Wiggins R *et al*
Miller PJ *et al.* Incident sexually transmitted infections and their risk factors in an Aboriginal community in Australia: a population based cohort study, **21**
Miller R. Cool, calm, and collected?, **222**
The golden nugget, **299**
With a pinch of salt, **74**
Miller RF *see* Brook MG and Miller RF
see Brown M *et al*
see Pao D *et al*
see Smith A *et al*
Mindel A *see* Tideman RL *et al*
Mir N *et al.* Partner notification in HIV-1 infection: a population based evaluation of process and outcomes in Scotland, **187**
Mitchell K *see* Fenton KA *et al*
Mmari E *see* Mwakagile D *et al*
Mngara J *see* Todd J *et al*
Mohamed OA *et al.* Urine proves a poor specimen for culture of *Trichomonas vaginalis* in women: *letter*, **78**
Mohan D *see* Jungmann EM *et al*
Møller JK *see* Andersen B *et al*
Monforte AD *see* Girardi E *et al*
Montroni M *see* Girardi E *et al*
Morency P *et al.* Aetiology of urethral discharge in Bangui, Central African Republic, **125**
Morison L *see* Shaw M *et al*
Morkunaite D *see* Domeika M *et al*
Moroni M *see* Girardi E *et al*
Morré SA *see* Boeke AJP *et al*
see van Valkengoed IGM *et al*
Morris M *see* Fethers K and Morris M
Morris MC *et al.* Is bacterial vaginosis a sexually transmitted infection?, **63**
Morroni C *see* Myer L and Morroni C
Morton RS *see* Green T *et al*
Morton RS, Rashid S. "The syphilis enigma": the riddle resolved?, **322**
Moses S *see* Fonck K *et al*
Mosha F *see* Todd J *et al*
Moudiki P *see* Levy DA *et al*
Moussa RA *see* Palfreeman AJ and Moussa RA
Mulanga-Kabeya C *see* Seck K *et al*
Mulcahy F *see* Hopkins S *et al*
Munguti K *see* Todd J *et al*

Murphy SM *see* Lamba H *et al*
Mwakagile D *et al.* Sexual behaviour among youths at high risk for HIV-1 infection in Dar es Salaam, Tanzania, **255**
Myer L, Morroni C. Implications of random measurement error in studies adjusting for sexual behaviours: *letter,* **302**
Myziuk L *et al.* Endocervical Gram stain smears and their usefulness in the diagnosis of *Chlamydia trachomatis* , **103**

Nahar S *see* Bogaerts J *et al*
Nasca MR *see* Micali G *et al*
Ndoye I *see* Seck K *et al*
Nelson JA *see* Wallace MR *et al*
Newell A. A mobile phone text message and *Trichomonas vaginalis: letter,* **225**
Ngugi EN *see* Fonck K *et al*
Nicoll A *see* Fenton KA *et al*
Nicoll A *et al.* Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
Nyirjesy P *et al.* Cromolyn cream for recalcitrant idiopathic vulvar vestibulitis: results of a placebo controlled study, **53**

O'Farrell N. Sector-wide approaches and STI control in Africa: *editorial,* **156**
Olesen F *see* Andersen B *et al*
Oligny LL *et al.* Human papillomavirus PCR direct sequencing study of cervical precancerous lesions in Quebec children: *letter,* **391**
O'Mahony C. Baby on board, **145**
Chaperoning male patients: *letter,* **225**
Death by dinner, **461**
The golden nugget, **299**
Why is it?, **386**
Wood for the trees!, **221**
Onyango JA *see* Mohamed OA *et al*
Oroz C *et al.* Chlamydial infections in children: *letter,* **462**
Osborne MA *see* Rogstad KE *et al*
Ossewaarde JM *see* Reesink-Peters N *et al*
Østergaard L *see* Andersen B *et al*
Oviedo C *see* Fiorito S *et al*

Paavonen J. *Chlamydia trachomatis* and cancer: *editorial,* **154**
Paech V *see* Plettenberg A *et al*
Paffett MC *see* Harindra V and Paffett MC
Pagano I *see* Fiorito S *et al*
Paine K *see* Shaw M *et al*
Paine TC *et al.* GRASP: a new national sentinel surveillance initiative for monitoring gonococcal antimicrobial resistance in England and Wales: *editorial,* **398**
Palfreeman AJ, Moussa RA. Syphilis in the fens, **314**
Paliuniene V *see* Domeika M *et al*
Pao D *et al.* Hyperlactataemia and hepatic steatosis: mitochondrial toxicity of nucleoside reverse transcriptase inhibitors, **381**
Parkin JM *see* Kawsar M *et al*
Parry J *see* Goon PKC *et al*
Partridge S *see* Rogstad KE *et al*
Patel R *see* Foley E and Patel R
see Foley E *et al*
Paterson MEL *see* Green T *et al*
Patterson S *see* Prakash M *et al*
Paul C *see* Eberhart-Phillips JE *et al*
Pauwels R *see* Plettenberg A *et al*
Pedhambkar BS *see* Pedhambkar RB *et al*
Pedhambkar RB *et al.* Study of risk factors associated with HIV seropositivity in STD patients at Mumbai, India, **388**
Peeling RW *see* Mabey D *et al*
Pépin J *see* Morency P *et al*
Pereira AS *see* Taylor S and Pereira AS
Perkins K *see* Williams M *et al*
Perkins MD *see* Mabey D *et al*
Peters B *see* Knowles C *et al*
see Pao D *et al*
Petersen H *see* Plettenberg A *et al*
Petrak JA *see* Skinner CJ *et al*
Peyramond D *see* Vanhems P *et al*
Phelps K *see* Dixon-Woods M *et al*
Phillips AN *see* Sabin CA and Phillips AN
Pimenta J *see* Simms I *et al*
Pittrof R *see* Kegg S *et al*
Pitts MK *et al.* Self treatment among a sample of first time attenders at a genitourinary medicine clinic: *letter,* **462**
Plettenberg A *et al.* Resistance analyses in HIV infected patients with a history of multiple antiretroviral treatment regimens, **449**
Poll R *see* Rogstad KE *et al*
Porter-Boveri KAM *see* Oroz C *et al*
Postma MJ *see* van Valkengoed IGM *et al*
Poulton M *et al.* Surfing with spirochaetes: an ongoing syphilis outbreak in Brighton, **319**
Syphilis: mimicking yet another disease!: *letter,* **325**
Prachuabmoh V *see* Entz A *et al*
Prakash M *et al.* Macrophages are increased in cervical epithelium of women with cervicitis, **366**
Pratt BC *see* Arya OP *et al*
Prime K, French P. Neuropsychiatric reaction induced by clarithromycin in a patient on highly active antiretroviral therapy (HAART), **297**
Prins M *see* van Benthem BHB *et al*

Quinn TC *see* Burstein GR *et al*
Quint WGV *see* Reesink-Peters N *et al*

Radcliffe KW *et al.* Demographic and behavioural profile of adults infected with chlamydia: a case-control study, **265**
Rahman M *see* Bogaerts J *et al*
Rai R *et al.* Dial 1097 (toll free): *letter,* **390**
Ramsewak SS *see* Eley A *et al*
Ranieri S *see* Girardi E *et al*
Rashid S *see* Morton RS and Rashid S
Reed BD *et al.* The Bali STD/AIDS study: association between vaginal hygiene practices and STDs among sex workers, **46**
Reesink-Peters N *et al.* No association of anti-*Chlamydia trachomatis* antibodies and severity of cervical neoplasia, **101**
Reshetnikov OV *et al.* Hepatitis B and C seroprevalence in Novosibirsk, western Siberia: *letter,* **463**
Reynolds MT *see* El-Din SS *et al*
Rezza G *see* Girardi E *et al*
Richardson C *see* Khan WA *et al*
Ridgway G *see* Fenton KA *et al*
Ritter J *see* Vanhems P *et al*
Roberts P *see* Arya OP *et al*
Robinson A *see* Paine TC *et al*
Robinson AJ. MSSVD, **146**
Rogers CA *see* Chen MY *et al*
Rogers PA *see* Morris MC *et al*
Rogstad KE *see* Green T *et al*
Rogstad KE *et al.* The prevalence of *Chlamydia trachomatis* infection in male undergraduates: a postal survey, **111**
Romanowski B *see* Myziuk L *et al*
Rompalo A *see* Shah KV *et al*
Rosenstein IJ *see* Taylor-Robinson D and Rosenstein IJ
Ross JDC *see* Radcliffe KW *et al*
see Shahmanesh M *et al*
Ross MW *see* Williams M *et al*
Rowen D *see* Foley E *et al*

Sabin CA, Phillips AN. Cohort studies in sexual health, **174**
Samb N *see* Seck K *et al*
Samory A *see* Morency P *et al*
Sandström E *see* Mwakagile D *et al*
Sanjuán E *see* Fiorito S *et al*
Saunders L *see* Williams M *et al*
Schober P *see* Herieka E *et al*
Schulpis K *see* Georgala S *et al*
Schwebke J *see* Gibney L *et al*
Schwebke JR, Vermund SH. Antimicrobial resistance among *Neisseria gonorrhoeae* isolates from Ulaanbaatar, Mongolia: *letter,* **463**
Scoular A *see* Butt A *et al*
see Mir N *et al*
Scoular A *et al.* "*That sort of place . . .where filthy men go . . .*": a qualitative study of women's perceptions of genitourinary medicine services, **340**
Seck K *et al.* Prevalence and risk factors of cervicovaginal HIV shedding among HIV-1 and HIV-2 infected women in Dakar, Senegal, **190**
Seifert C *see* Tideman RL *et al*
Semple L. Sexually transmitted infections and risk behaviours in women who have sex with women: *letter,* **79**
Serraino D *see* Girardi E *et al*
Shafi MS *see* Lamba H *et al*
Shah KV *et al.* Diagnosis of human papillomavirus infection by dry vaginal swabs in military women, **260**
Shah N *see* Shah KV *et al*
Shahmanesh M *see* Zenilman JM *et al*
Shahmanesh M. Methodology for research into STI: *editorial,* **83**
Why common things are common: the tale of non-gonococcal urethritis, **139**
Shahmanesh M *et al.* Protease inhibitor related type III hyperlipoproteinaemia is common and not associated with apolipoprotein-E E2/E2 phenotype, **283**
Sharma NM *see* Rai R *et al*
Sharma PK *see* Kar HK *et al*
Sharma SK *see* Kar HK *et al*
Shaw M *et al.* Prevalence of herpes simplex type 2 and syphilis serology among young adults in a rural Gambian community, **358**
Shepherd DFC *see* Angunawela RM *et al*
Sherr L *see* Elford J *et al*
Shukla R *see* Dixon-Woods M *et al*
Shultz TR *see* Lkhamsuren E *et al*
Simard P *see* Oligny LL *et al*
Simms I *et al.* Detection or treatment: which outcome measure?: *letter,* **150**
Singh G *see* Pitts MK *et al*
Sipetić S *see* Bjekić M *et al*

Siriwasin W *see* Bandea CI *et al*
Skinner CJ *et al.* Attitudes to lesbians and homosexual men: medical students care: *letter*, **147**
Small MJ *see* Nyirjesy P *et al*
Smayevsky J *see* Fiorito S *et al*
Smikle M *et al.* Hepatitis B and C viruses and sexually transmitted disease patients in Jamaica, **295**
Smith A *et al.* Response of hepatitis B induced membranoproliferative glomerulonephritis to HAART: *letter*, **302**
Smith MEF *see* Baguley SDK and Smith MEF
Sobel JD *see* Nyirjesy P *et al*
Somsé P *see* Morency P *et al*
Soothill PW *see* Wiggins R *et al*
Soskolne V *see* Entz A *et al*
Sow PS *see* Seck K *et al*
Spaargaren J *see* van Benthem BHB *et al*
Spenatto N, Viraben R. Substantial increase in gonorrhoea among homosexual men attending an STD centre in Toulouse, France: *letter*, **391**
Spukaite T *see* Domeika M *et al*
Sterne JAC *see* Low N *et al*
Stockdale H *see* Griffiths M *et al*
Stoehr A *see* Plettenberg A *et al*
Stokes T *see* Dixon-Woods M *et al*
Stolte IG *et al.* Increase in sexually transmitted infections among homosexual men in Amsterdam in relation to HAART, **184**
Stoner BP *see* Fortenberry JD *et al*
Sugunendran H *et al.* Comparison of urine, first and second endourethral swabs for PCR based detection of genital *Chlamydia trachomatis* infection in male patients, **423**
Symonds M *see* White DJ *et al*

Talbot M. Ethics committee review of medical audit: a personal view from the United Kingdom, **69**
Talbot MD *see* Green T *et al*
Tapsall JW *see* Lkhamsuren E *et al*
Taylor A *see* Mir N *et al*
Taylor GP *see* Goon PKC *et al*
see Jungmann EM *et al*
Taylor J *see* Eberhart-Phillips JE *et al*
see Tideman RL *et al*
Taylor S, Pereira AS. Antiretroviral drug concentrations in semen of HIV-1 infected men: *review*, **4**
Taylor-Robinson D, Horner PJ. The role of *Mycoplasma genitalium* in non-gonococcal urethritis: *editorial*, **229**
Taylor-Robinson D, Rosenstein IJ. Is *Mycoplasma hominis* a vaginal pathogen?: *letter*, **302**
Teinina TR *see* Reshetnikov OV *et al*
Temmerman M *see* Fonck K *et al*
Tempesta S *see* Seck K *et al*
Tennant MK *see* Shah KV *et al*
Thappa DM *see* Vijaikumar M *et al*
Thin RNT. Clinical governance and genitourinary medicine, **453**
Thompson C *see* Oroz C *et al*
Tideman RL *et al.* Sexual and demographic risk factors for herpes simplex type 1 and 2 in women attending an antenatal clinic, **413**
Timpson S *see* Williams M *et al*
Tobin JM, Harindra V. Attendance by older patients at a genitourinary medicine clinic, **289**
Tobin R *see* Wright S *et al*
Todd J *see* Mayaud P *et al*
Todd J *et al.* Risk factors for active syphilis and TPHA seroconversion in a rural African population, **37**
Tong CYW *see* Arya OP *et al*
see Sugunendran H *et al*
Torzillo PJ *see* Miller PJ *et al*
Touraine J-L *see* Vanhems P *et al*
Traoré M *see* Vuylsteke B *et al*
Trépo C *see* Vanhems P *et al*
Trudinger B *see* Tideman RL *et al*
Turner A *see* Paine TC *et al*

Uledi E *see* Mayaud P *et al*

van Benthem BHB *et al.* Prevalence and risk factors of HSV-1 and HSV-2 antibodies in European HIV infected women, **120**
van den Brule AJC *see* Boeke AJP *et al*
see van Valkengoed IGM *et al*
van den Hoek JAR *see* van Benthem BHB *et al*
van der Sande M *see* Shaw M *et al*
van der Zee AGJ *see* Reesink-Peters N *et al*
Vandevanter N *see* Fortenberry JD *et al*
van Griensven F *see* Entz A *et al*
Vanhems P *et al.* HIV seroconversion interval and demographic characteristics: no evidence of selection bias, **446**
van Ranst M *see* Bogaerts J *et al*
Vanthuyne A *see* White DJ *et al*
van Valkengoed IGM *see* Boeke AJP *et al*
van Valkengoed IGM *et al.* Cost effectiveness analysis of a population based screening programme for asymptomatic *Chlamydia trachomatis* infections in women by means of home obtained urine specimens, **276**
Vay C *see* Famiglietti A *et al*
Verhaegen J *see* Bogaerts J *et al*
Vermund SH *see* Gibney L *et al*
see Schwebke JR and Vermund SH
Vijaikumar M *et al.* Papulonecrotic tuberculide of the glans penis: *letter*, **147**
Viraben R *see* Spenatto N and Viraben R
Vlajinac H *see* Bjekić M *et al*
von Krogh G, Longstaff E. Podophyllin office therapy against condyloma should be abandoned, **409**
Vuylsteke B *et al.* Where do sex workers go for health care? A community based study in Abidjan, Côte d'Ivoire, **351**

Wade A. Study size, **332**
Walker A *see* Butt A *et al*
Wallace MR *et al.* Symptomatic HIV seroconverting illness is associated with more rapid neurological impairment, **199**
Walraven G *see* Shaw M *et al*
Watkins RPF *see* Goon PKC *et al*
Watson C *see* Pao D *et al*
Webb AMC *see* Simms I *et al*
Weiss HA *see* Mayaud P *et al*
Weitz MV *see* Nyirjesy P *et al*
Weitzel T *see* Plettenberg A *et al*
Wellings K *see* Fenton KA *et al*
Wellings K, Cleland J. Surveys on sexual health: recent developments and future directions, **238**
Welsh M *see* Mohamed OA *et al*
Weltman G *see* Fiorito S *et al*
West B *see* Shaw M *et al*
White AJ. Mitochondrial toxicity and HIV therapy: *review*, **158**
White DJ *et al.* Combined topical flucytosine and amphotericin B for refractory vaginal *Candida glabrata* infections, **212**
Wiggins R *et al.* Mucinases and sialidases: their role in the pathogenesis of sexually transmitted infections in the female genital tract: *review*, **402**
Wiktor SZ *see* Vuylsteke B *et al*
Williams DI *see* Poulton M *et al*
see Poulton M *et al*
Williams E *see* Smikle M *et al*
Williams IG *see* Brown M *et al*
Williams M *et al.* An investigation of condom use by frequency of sex, **433**
Williamson LM *et al.* The Gay Men's Task Force: the impact of peer education on the sexual health behaviour of homosexual men in Glasgow, **427**
Wilson JD. Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom, **107**
Windridge K *see* Dixon-Woods M *et al*
Winter AJ *see* Griffiths M *et al*
see Zenilman JM *et al*
Wirawan DN *see* Reed BD *et al*
Wolfson T *see* Wallace MR *et al*
Worm A-M *see* Mir N *et al*
Wright S *et al.* A novel condom policy for young attenders at a sexual health clinic, **287**

Yanpaisarn S *see* Bandea CI *et al*
Yotov WV *see* Oligny LL *et al*
Young B *see* Dixon-Woods M *et al*
Young P *see* Williams M *et al*

Zenilman JM *see* Burstein GR *et al*
Zenilman JM *et al.* Ethnicity and STIs: more than black and white: *editorial*, **2**
Zimina IY *see* Reshetnikov OV *et al*

VOLUME 77 • SUBJECT INDEX

Aborigines, Incident sexually transmitted infections and their risk factors in an Aboriginal community in Australia: a population based cohort study, **21**
accessibility, Access to genitourinary medicine clinics in the United Kingdom, **12**
aciclovir, Graded challenge in an aciclovir allergic patient, **204**
adolescents, Predictors of repeat *Chlamydia trachomatis* infections diagnosed by DNA amplification testing among inner city females, **26**
adverse reactions, Adverse reaction to antimycobacterials administered as a combination tablet with no reaction to the same drugs in isolation: *letter,* **392**
Africa, Prevalence of herpes simplex type 2 and syphilis serology among young adults in a rural Gambian community, **358**
Risk factors for active syphilis and TPHA seroconversion in a rural African population, **37**
Sector-wide approaches and STI control in Africa: *editorial,* **156**
The interrelation of HIV, cervical human papillomavirus, and neoplasia among antenatal clinic attenders in Tanzania, **248**
Where do sex workers go for health care? A community based study in Abidjan, Côte d'Ivoire, **351**
AIDS, Gene therapy for HIV: *review,* **93**
Respiratory and cutaneous manifestations of disseminated cryptococcosis in AIDS: *letter,* **75**
AIDS helpline, Dial 1097 (toll free): *letter,* **390**
allergy, Deproteinised latex condoms are well tolerated by latex allergic patients, **202**
amphotericin, Combined topical flucytosine and amphotericin B for refractory vaginal *Candida glabrata* infections, **212**
anogenital warts: an unusual differential diagnosis of anogenital warts, **292**
anal intraepithelial neoplasia, Anal intraepithelial neoplasia in HIV positive people: *review,* **327**
antibiotic resistance, Antimicrobial resistance among *Neisseria gonorrhoeae* isolates from Ulaanbaatar, Mongolia: *letter,* **463**
GRASP: a new national sentinel surveillance initiative for monitoring gonococcal antimicrobial resistance in England and Wales: *editorial,* **398**
antibiotic susceptibility, The antibiotic susceptibility of *Neisseria gonorrhoeae* isolated in Ulaanbaatar, Mongolia, **218**
antibodies, Sorting out the new HSV type specific antibody tests: *review,* **232**
antimycobacterials, Adverse reaction to antimycobacterials administered as a combination tablet with no reaction to the same drugs in isolation: *letter,* **392**
antiretroviral therapy, Is first trimester exposure to the combination of antiretroviral therapy and folate antagonists a risk factor for congenital abnormalities?, **441**
Resistance analyses in HIV infected patients with a history of multiple antiretroviral treatment regimens, **449**
antiretrovirals, Antiretroviral drug concentrations in semen of HIV-1 infected men: *review,* **4**
antivirals, Gene therapy for HIV: *review,* **93**
apolipoprotein-E, Protease inhibitor related type III hyperlipoproteinaemia is common and not associated with apolipoprotein-E E2/E2 phenotype, **283**
Argentina, Emergence of high level ciprofloxacin resistant *Neisseria gonorrhoeae* strain in Buenos Aires, Argentina: *letter,* **77**
Athens, Gonorrhoea control programme in Athens, 1974–98, **458**
attitude to health, "*That sort of place . . .where filthy men go . . .*": a qualitative study of women's perceptions of genitourinary medicine services, **340**
Australia, Incident sexually transmitted infections and their risk factors in an Aboriginal community in Australia: a population based cohort study, **21**

bacterial vaginosis, Is bacterial vaginosis a sexually transmitted infection?, **63**
Is bacterial vaginosis a sexually transmitted infection: *letter,* **390**
Is *Mycoplasma hominis* a vaginal pathogen?, **58**
balanoposthitis, Methicillin resistant *Staphylococcus aureus* (MRSA) balanoposthitis in an insulin dependent diabetic male: *letter,* **223**
Balham chronicles, With a pinch of salt, **74**
Bali, The Bali STD/AIDS study: association between vaginal hygiene practices and STDs among sex workers, **46**
Bangladesh, Prevalence of infectious diseases in Bangladeshi women living adjacent to a truck stand: HIV/STD/hepatitis/genital tract infections, **344**
Sexually transmitted infections among married women in Dhaka, Bangladesh: unexpected high prevalence of herpes simplex type 2 infection, **114**
black ethnic groups, Rates of gonorrhoea and chlamydia in black ethnic groups: *letter,* **390**
Buenos Aires, Evolution of *Neisseria gonorrhoeae* drug susceptibility in Buenos Aires, Argentina, 1985–99, **142**

Candida glabrata, Combined topical flucytosine and amphotericin B for refractory vaginal *Candida glabrata* infections, **212**
carcinoma, *Chlamydia trachomatis* and cancer: *editorial,* **154**
care seeking behaviour, Relation of health literacy to gonorrhoea related care, **206**
Central African Republic, Aetiology of urethral discharge in Bangui, Central African Republic, **125**
cervical cytology smears, Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom: *letter,* **303**
cervical intraepithelial neoplasia, Human papillomavirus PCR direct sequencing study of cervical precancerous lesions in Quebec children: *letter,* **391**
cervical neoplasia, No association of anti-*Chlamydia trachomatis* antibodies and severity of cervical neoplasia, **101**
cervical screening, Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom, **107**
cervicitis, Macrophages are increased in cervical epithelium of women with cervicitis, **366**
cervicovaginal shedding, Prevalence and risk factors of cervicovaginal HIV shedding among HIV-1 and HIV-2 infected women in Dakar, Senegal, **190**
Côte d'Ivoire, Where do sex workers go for health care? A community based study in Abidjan, Côte d'Ivoire, **351**
chaperones, Chaperoning male patients: *letter,* **225**
Chester chronicles, Baby on board, **145**
Wood for the trees!, **221**
The golden nugget, **299**
Why is it?, **386**
Death by dinner, **461**
child sexual abuse, Use of nucleic acid amplification tests in investigating child sexual abuse: *editorial,* **153**
children, Chlamydial infections in children: *letter,* **462**
Human papillomavirus PCR direct sequencing study of cervical precancerous lesions in Quebec children: *letter,* **391**
chlamydia, Chlamydial infections in children: *letter,* **462**
Demographic and behavioural profile of adults infected with chlamydia: a case-control study, **265**
Detection of chlamydia on meatal swabs: *letter,* **224**
Predictors of repeat *Chlamydia trachomatis* infections diagnosed by DNA amplification testing among inner city females, **26**
Rates of gonorrhoea and chlamydia in black ethnic groups: *letter,* **390**
The acceptability of urinary LCR testing for *Chlamydia trachomatis* among participants in a probability sample survey of sexual attitudes and lifestyles, **194**
chlamydia infections, Inequalities in rates of gonorrhoea and chlamydia between black ethnic groups in south east London: cross sectional study, **15**
chlamydia management, *Chlamydia trachomatis* reinfection rate: a forgotten aspect of female genital chlamydia management: *letter,* **223**
Chlamydia trachomatis, Acute neonatal respiratory failure and *Chlamydia trachomatis* , **135**
Chlamydia trachomatis and cancer: *editorial,* **154**
Chlamydia trachomatis infection in an urban setting, **141**
Chlamydia trachomatis reinfection rate: a forgotten aspect of female genital chlamydia management: *letter,* **223**
Comparison of urine, first and second endourethral swabs for PCR based detection of genital *Chlamydia trachomatis* infection in male patients, **423**
Cost effectiveness analysis of a population based screening programme for asymptomatic *Chlamydia trachomatis* infections in women by means of home obtained urine specimens, **276**
Economic advantages of ligase chain reaction for diagnosis of genital *Chlamydia trachomatis* infection in GUM clinic attenders: *letter,* **227**
Effectiveness of a mass media campaign to recruit young adults for testing of *Chlamydia trachomatis* by use of home obtained and mailed samples, **416**
Endocervical Gram stain smears and their usefulness in the diagnosis of *Chlamydia trachomatis* , **103**
No association of anti-*Chlamydia trachomatis* antibodies and severity of cervical neoplasia, **101**
Prevalence of *Chlamydia trachomatis* IgG antibodies in antenatal patients from Trinidad: *letter,* **301**
Prevalence of *Chlamydia trachomatis* infections in women attending six women's healthcare units in Kaunas, Lithuania, **459**
The prevalence of *Chlamydia trachomatis* infection in male undergraduates: a postal survey, **111**
Typing of *Chlamydia trachomatis* strains from urine samples by amplification and sequencing the major outer membrane protein gene (*ompl*) , **419**
ciprofloxacin, Emergence of high level ciprofloxacin resistant *Neisseria gonorrhoeae strain in Buenos Aires, Argentina: letter,* **77**
circumcision, Circumcision and STD in the United States: *letter,* **462**

Clapham omnibus, Attendance by older patients at a genitourinary medicine clinic, **289**
clarithromycin, Neuropsychiatric reaction induced by clarithromycin in a patient on highly active antiretroviral therapy (HAART), **297**
clinical governance, Clinical governance and genitourinary medicine, **453**
cohort studies, Cohort studies in sexual health, **174**
condom use, An investigation of condom use by frequency of sex, **433**
condoms, A novel condom policy for young attenders at a sexual health clinic, **287**
Deproteinised latex condoms are well tolerated by latex allergic patients, **202**
condyloma therapy, Podophyllin office therapy against condyloma should be abandoned, **409**
condylomata acuminata, Dorsal perforation of prepuce due to locally erosive condylomata acuminata: *letter,* **77**
congenital abnormalities, Is first trimester exposure to the combination of antiretroviral therapy and folate antagonists a risk factor for congenital abnormalities?, **441**
consulting behaviour, Choosing and using services for sexual health: a qualitative study of women's views, **335**
contact tracing, Partner notification in HIV-1 infection: a population based evaluation of process and outcomes in Scotland, **187**
cost effectiveness analysis, Cost effectiveness analysis of a population based screening programme for asymptomatic *Chlamydia trachomatis* infections in women by means of home obtained urine specimens, **276**
cromolyn cream, Cromolyn cream for recalcitrant idiopathic vulvar vestibulitis: results of a placebo controlled study, **53**
cytology, Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom, **107**

demographic risk factors, Sexual and demographic risk factors for herpes simplex type 1 and 2 in women attending an antenatal clinic, **413**
diagnostic assays, Diagnosis of human papillomavirus infection by dry vaginal swabs in military women, **260**
Diploma examination in Genitourinary Medicine, The Society of Apothecaries Diploma examination in Genitourinary Medicine: death of the viva voce?: *letter,* **223**
Diploma in Genitourinary Medicine, The Diploma in Genitourinary Medicine (London Society of Apothecaries): *editorial,* **81**
disseminated cryptococcosis, Respiratory and cutaneous manifestations of disseminated cryptococcosis in AIDS: *letter,* **75**
doctors, Uptake of HIV testing in a genitourinary medicine clinic is affected by individual doctors, **143**
douching, The Bali STD/AIDS study: association between vaginal hygiene practices and STDs among sex workers, **46**
drug concentrations, Antiretroviral drug concentrations in semen of HIV-1 infected men: *review,* **4**
drug reaction, Neuropsychiatric reaction induced by clarithromycin in a patient on highly active antiretroviral therapy (HAART), **297**
drug sensitivity, Evolution of *Neisseria gonorrhoeae* drug susceptibility in Buenos Aires, Argentina, 1985–99, **142**
drug users, An investigation of condom use by frequency of sex, **433**
dry swabs, Diagnosis of human papillomavirus infection by dry vaginal swabs in military women, **260**
Dublin, The great pretender returns to Dublin, Ireland, **316**

eczema herpeticum, Recurrent eczema herpeticum: an underrecognised condition: *letter,* **76**
education, A randomised controlled trial of the effectiveness of combining video role play with traditional methods of delivering undergraduate medical education, **376**
ejaculatory pain, Ejaculatory pain associated with a pelvic arteriovenous malformation, **385**
endocervical Gram stain, Endocervical Gram stain smears and their usefulness in the diagnosis of *Chlamydia trachomatis* , **103**
endourethral swabs, Comparison of urine, first and second endourethral swabs for PCR based detection of genital *Chlamydia trachomatis* infection in male patients, **423**
England, Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
Resurgence of syphilis in England: time for more radical and nationally coordinated approaches: *editorial,* **309**
epidemiology, Demographic and behavioural profile of adults infected with chlamydia: a case-control study, **265**
Incidence of recurrent diagnoses of *Chlamydia trachomatis* genital infections among male and female soldiers of the US army, **33**
The great pretender returns to Dublin, Ireland, **316**
ethics committees, Ethics committee review of medical audit: a personal view from the United Kingdom, **69**
Ethics committee review of medical audit: a personal view from the United Kingdom, **72**
ethnic groups, Inequalities in rates of gonorrhoea and chlamydia between black ethnic groups in south east London: cross sectional study, **15**
ethnicity, Ethnicity and STIs: more than black and white: *editorial,* **2**
Europe, Prevalence and risk factors of HSV-1 and HSV-2 antibodies in European HIV infected women, **120**
excellence, Clinical governance and genitourinary medicine, **453**

female genital tract, *Chlamydia trachomatis* reinfection rate: a forgotten aspect of female genital chlamydia management: *letter,* **223**
female sex workers, Sexually transmitted infections and vaginal douching in a population of female sex workers in Nairobi, Kenya, **271**
females, Female low sexual desire and sexually transmitted infections, **293**
flow cytometry, Macrophages are increased in cervical epithelium of women with cervicitis, **366**
flucytosine, Combined topical flucytosine and amphotericin B for refractory vaginal *Candida glabrata* infections, **212**
folate antagonists, Is first trimester exposure to the combination of antiretroviral therapy and folate antagonists a risk factor for congenital abnormalities?, **441**
France, Substantial increase in gonorrhoea among homosexual men attending an STD centre in Toulouse, France: *letter,* **391**

gene therapy, Gene therapy for HIV: *review,* **93**
genital cleansing, The Bali STD/AIDS study: association between vaginal hygiene practices and STDs among sex workers, **46**
genital herpes, Genital herpes may mask underlying neoplasia: *letter,* **148**
Graded challenge in an aciclovir allergic patient, **204**
Rising incidence and prevalence of herpes simplex type 2 infection in a cohort of 26 year old New Zealanders, **353**
Sexually transmitted infections among married women in Dhaka, Bangladesh: unexpected high prevalence of herpes simplex type 2 infection, **114**
genital piercing, Genital piercing and sexually transmitted infections: *letter,* **393**
genital ulcerations, Prevalence and risk factors of HSV-1 and HSV-2 antibodies in European HIV infected women, **120**
genitourinary medicine, Attendance by older patients at a genitourinary medicine clinic, **289**
genitourinary medicine clinic attenders, Economic advantages of ligase chain reaction for diagnosis of genital *Chlamydia trachomatis* infection in GUM clinic attenders: *letter,* **227**
genitourinary medicine clinics, Access to genitourinary medicine clinics in the United Kingdom, **12**
Patient access to GUM clinics: *editorial,* **1**
Self treatment among a sample of first time attenders at a genitourinary medicine clinic: *letter,* **462**
Uptake of HIV testing in a genitourinary medicine clinic is affected by individual doctors, **143**
genotype, Typing of *Chlamydia trachomatis* strains from urine samples by amplification and sequencing the major outer membrane protein gene (*omp1*) , **419**
glans penis, Papulonecrotic tuberculide of the glans penis: *letter,* **147**
glomerulonephritis, Response of hepatitis B induced membranoproliferative glomerulonephritis to HAART: *letter,* **302**
gonorrhoea, Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
Evolution of *Neisseria gonorrhoeae* drug susceptibility in Buenos Aires, Argentina, 1985–99, **142**
Inequalities in rates of gonorrhoea and chlamydia between black ethnic groups in south east London: cross sectional study, **15**
Rates of gonorrhoea and chlamydia in black ethnic groups: *letter,* **390**
Relation of health literacy to gonorrhoea related care, **206**
Substantial increase in gonorrhoea among homosexual men attending an STD centre in Toulouse, France: *letter,* **391**
Trends of gonorrhoea and early syphilis in Belgrade, 1985–99, **387**
gonorrhoea control programme, Gonorrhoea control programme in Athens, 1974–98, **458**
graded challenge, Graded challenge in an aciclovir allergic patient, **204**
granuloma inguinale, Trovofloxacin for the treatment of chronic granuloma inguinale, **137**

HAART, Deterioration of disseminated cutaneous *Mycobacterium avium* complex infection with a leukaemoid reaction following institution of highly active antiretroviral therapy: *letter,* **149**
HIV associated nephropathy: a treatable condition, **97**
Increase in sexually transmitted infections among homosexual men in Amsterdam in relation to HAART, **184**
Response of hepatitis B induced membranoproliferative glomerulonephritis to HAART: *letter,* **302**
Harrison lecture, Clinical governance and genitourinary medicine, **453**
health care, Where do sex workers go for health care? A community based study in Abidjan, Côte d'Ivoire, **351**
health promotion, Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
health services, "*That sort of place . . .where filthy men go . . .*": a qualitative study of women's perceptions of genitourinary medicine services, **340**

hepatic steatosis, Hyperlactataemia and hepatic steatosis: mitochondrial toxicity of nucleoside reverse transcriptase inhibitors, **381**
hepatitis B, Hepatitis B and C seroprevalence in Novosibirsk, western Siberia: *letter,* **463**
Hepatitis B and C viruses and sexually transmitted disease patients in Jamaica, **295**
Response of hepatitis B induced membranoproliferative glomerulonephritis to HAART: *letter,* **302**
hepatitis C, Hepatitis B and C seroprevalence in Novosibirsk, western Siberia: *letter,* **463**
Hepatitis B and C viruses and sexually transmitted disease patients in Jamaica, **295**
herpes, Sorting out the new HSV type specific antibody tests: *review,* **232**
herpes simplex virus, Prevalence of herpes simplex type 2 and syphilis serology among young adults in a rural Gambian community, **358**
Rising incidence and prevalence of herpes simplex type 2 infection in a cohort of 26 year old New Zealanders, **353**
herpes simplex virus serology, Sexual and demographic risk factors for herpes simplex type 1 and 2 in women attending an antenatal clinic, **413**
heterosexual men, Dangers of the sexual health strategy: *letter,* **463**
heterosexuals, Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
Sexual behaviour of heterosexual individuals with HIV infection naive for antiretroviral therapy in Italy, **130**
high risk sexual behaviour, Increase in sexually transmitted infections among homosexual men in Amsterdam in relation to HAART, **184**
HIV, An investigation of condom use by frequency of sex, **433**
An outbreak of early syphilis: cases from North Manchester General Hospital, **311**
Anal intraepithelial neoplasia in HIV positive people: *review,* **327**
Antiretroviral drug concentrations in semen of HIV-1 infected men: *review,* **4**
Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
Gene therapy for HIV: *review,* **93**
HIV associated nephropathy: a treatable condition, **97**
Homosexual men, HIV, and sexual risk in 2001: *letter,* **325**
Neuropsychiatric reaction induced by clarithromycin in a patient on highly active antiretroviral therapy (HAART), **297**
Partner notification in HIV-1 infection: a population based evaluation of process and outcomes in Scotland, **187**
Post-exposure prophylaxis for human immunodeficiency virus: knowledge and experience of junior doctors, **444**
Prevalence and risk factors of cervicovaginal HIV shedding among HIV-1 and HIV-2 infected women in Dakar, Senegal, **190**
Protease inhibitor related type III hyperlipoproteinaemia is common and not associated with apolipoprotein-E E2/E2 phenotype, **283**
Safer sex in HIV infected patients in London: practices and risks: *letter,* **394**
Sexual behaviour among youths at high risk for HIV-1 infection in Dar es Salaam, Tanzania, **255**
Study of risk factors associated with HIV seropositivity in STD patients at Mumbai, India, **388**
Symptomatic HIV seroconverting illness is associated with more rapid neurological impairment, **199**
Third trimester screening or safer sex to prevent mother to child transmission of HIV: *letter,* **226**
HIV diagnostic tests, Resistance analyses in HIV infected patients with a history of multiple antiretroviral treatment regimens, **449**
HIV drug resistance, Resistance analyses in HIV infected patients with a history of multiple antiretroviral treatment regimens, **449**
HIV infection, Prevalence and risk factors of HSV-1 and HSV-2 antibodies in European HIV infected women, **120**
Sexual behaviour of heterosexual individuals with HIV infection naive for antiretroviral therapy in Italy, **130**
HIV prevalence, Increasing HIV prevalence in STD clinic attendees in Delhi, India: 6 year (1995–2000) hospital based study results: *letter,* **393**
HIV seroconversion, HIV seroconversion interval and demographic characteristics: no evidence of selection bias, **446**
HIV testing, Dangers of the sexual health strategy: *letter,* **463**
Uptake of HIV testing in a genitourinary medicine clinic is affected by individual doctors, **143**
HIV therapy, Mitochondrial toxicity and HIV therapy: *review,* **158**
HIV transmission, HIV positive and negative homosexual men have adopted different strategies for reducing the risk of HIV transmission: *letter,* **224**
Oral sex and HIV transmission: *editorial,* **307**
HIV/AIDS, The interrelation of HIV, cervical human papillomavirus, and neoplasia among antenatal clinic attenders in Tanzania, **248**
homosexual men, Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
Attitudes to lesbians and homosexual men: medical students care: *letter,* **147**
HIV positive and negative homosexual men have adopted different strategies for reducing the risk of HIV transmission: *letter,* **224**
Homosexual men, HIV, and sexual risk in 2001: *letter,* **325**
Substantial increase in gonorrhoea among homosexual men attending an STD centre in Toulouse, France: *letter,* **391**
Surfing with spirochaetes: an ongoing syphilis outbreak in Brighton, **319**
The Gay Men's Task Force: the impact of peer education on the sexual health behaviour of homosexual men in Glasgow, **427**
human papillomavirus, Anal intraepithelial neoplasia in HIV positive people: *review,* **327**
Human papillomavirus PCR direct sequencing study of cervical precancerous lesions in Quebec children: *letter,* **391**
The interrelation of HIV, cervical human papillomavirus, and neoplasia among antenatal clinic attenders in Tanzania, **248**
human papillomaviruses, Diagnosis of human papillomavirus infection by dry vaginal swabs in military women, **260**
hyperlactataemia, Hyperlactataemia and hepatic steatosis: mitochondrial toxicity of nucleoside reverse transcriptase inhibitors, **381**
hyperlipidaemia, Protease inhibitor related type III hyperlipoproteinaemia is common and not associated with apolipoprotein-E E2/E2 phenotype, **283**

IgG antibodies, Prevalence of *Chlamydia trachomatis* IgG antibodies in antenatal patients from Trinidad: *letter,* **301**
incidence cohort, HIV seroconversion interval and demographic characteristics: no evidence of selection bias, **446**
India, *Chlamydia trachomatis* infection in an urban setting, **141**
Increasing HIV prevalence in STD clinic attendees in Delhi, India: 6 year (1995–2000) hospital based study results: *letter,* **393**
injecting drug use, Sexual behaviour of heterosexual individuals with HIV infection naive for antiretroviral therapy in Italy, **130**
insulin dependent diabetes, Methicillin resistant *Staphylococcus aureus* (MRSA) balanoposthitis in an insulin dependent diabetic male: *letter,* **223**
interventions, Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
isoniazid, Adverse reaction to antimycobacterials administered as a combination tablet with no reaction to the same drugs in isolation: *letter,* **392**

labial adhesions, Labial adhesions following severe primary genital herpes: *letter,* **75**
latex, Deproteinised latex condoms are well tolerated by latex allergic patients, **202**
lay beliefs, Choosing and using services for sexual health: a qualitative study of women's views, **335**
lesbians, Attitudes to lesbians and homosexual men: medical students care: *letter,* **147**
Sexually transmitted infections and risk behaviours in women who have sex with women: *letter,* **79**
lichen sclerosus, Lichen sclerosus of the glans is significantly associated with penile carcinoma: *letter,* **226**
ligase chain reaction, Economic advantages of ligase chain reaction for diagnosis of genital *Chlamydia trachomatis* infection in GUM clinic attenders: *letter,* **227**
The prevalence of *Chlamydia trachomatis* infection in male undergraduates: a postal survey, **111**
literacy, Relation of health literacy to gonorrhoea related care, **206**
Lithuania, Prevalence of *Chlamydia trachomatis* infections in women attending six women's healthcare units in Kaunas, Lithuania, **459**
London, Safer sex in HIV infected patients in London: practices and risks: *letter,* **394**
London Society of Apothecaries, The Diploma in Genitourinary Medicine (London Society of Apothecaries): *editorial,* **81**

macrophages, Macrophages are increased in cervical epithelium of women with cervicitis, **366**
male patients, Chaperoning male patients: *letter,* **225**
mass media, Effectiveness of a mass media campaign to recruit young adults for testing of *Chlamydia trachomatis* by use of home obtained and mailed samples, **416**
meatal swabs, Detection of chlamydia on meatal swabs: *letter,* **224**
median raphe, Split median raphe: a cause of concern?, **138**
medical audit, Ethics committee review of medical audit: a personal view from the United Kingdom, **69**
Ethics committee review of medical audit: a personal view from the United Kingdom, **72**
medical students, Attitudes to lesbians and homosexual men: medical students care: *letter,* **147**
men, A novel condom policy for young attenders at a sexual health clinic, **287**
methodology, Cohort studies in sexual health, **174**
Methodology for research into STI: *editorial,* **83**
microbial protease, Mucinases and sialidases: their role in the pathogenesis of sexually transmitted infections in the female genital tract: *review,* **402**

migrants, STD history, self treatment, and healthcare behaviours among fishermen in the Gulf of Thailand and the Andaman Sea, **436**
military personnel, Incidence of recurrent diagnoses of *Chlamydia trachomatis* genital infections among male and female soldiers of the US army, **33**
Miller's tale, Cool, calm, and collected?, **222**
The golden nugget, **299**
mitochondrial toxicity, Hyperlactataemia and hepatic steatosis: mitochondrial toxicity of nucleoside reverse transcriptase inhibitors, **381**
Mitochondrial toxicity and HIV therapy: *review,* **158**
mobile phone, A mobile phone text message and *Trichomonas vaginalis: letter,* **225**
Mongolia, Antimicrobial resistance among *Neisseria gonorrhoeae* isolates from Ulaanbaatar, Mongolia: *letter,* **463**
The antibiotic susceptibility of *Neisseria gonorrhoeae* isolated in Ulaanbaatar, Mongolia, **218**
MRSA, Methicillin resistant *Staphylococcus aureus* (MRSA) balanoposthitis in an insulin dependent diabetic male: *letter,* **223**
MSM, Increase in sexually transmitted infections among homosexual men in Amsterdam in relation to HAART, **184**
MSSVD, 146
mucinase, Mucinases and sialidases: their role in the pathogenesis of sexually transmitted infections in the female genital tract: *review,* **402**
***Mycobacterium avium* complex infection,** Deterioration of disseminated cutaneous *Mycobacterium avium* complex infection with a leukaemoid reaction following institution of highly active antiretroviral therapy: *letter,* **149**
Mycoplasma genitalium, Aetiology of urethral discharge in Bangui, Central African Republic, **125**
Mycoplasma hominis, Is *Mycoplasma hominis* a vaginal pathogen?, **58**
Is *Mycoplasma hominis* a vaginal pathogen?: *letter,* **302**

needlestick injuries, Post-exposure prophylaxis for human immunodeficiency virus: knowledge and experience of junior doctors, **444**
Neisseria gonorrhoeae, Emergence of high level ciprofloxacin resistant *Neisseria gonorrhoeae* strain in Buenos Aires, Argentina: *letter,* **77**
GRASP: a new national sentinel surveillance initiative for monitoring gonococcal antimicrobial resistance in England and Wales: *editorial,* **398**
Neisseria gonorrhoeae, Antimicrobial resistance among *Neisseria gonorrhoeae* isolates from Ulaanbaatar, Mongolia: *letter,* **463**
The antibiotic susceptibility of *Neisseria gonorrhoeae* isolated in Ulaanbaatar, Mongolia, **218**
neonatal respiratory failure, Acute neonatal respiratory failure and *Chlamydia trachomatis* , **135**
neoplasia, Genital herpes may mask underlying neoplasia: *letter,* **148**
nephropathy, HIV associated nephropathy: a treatable condition, **97**
neurocognitive impairment, Symptomatic HIV seroconverting illness is associated with more rapid neurological impairment, **199**
New World, "The syphilis enigma": the riddle resolved?, **322**
New Zealand, Rising incidence and prevalence of herpes simplex type 2 infection in a cohort of 26 year old New Zealanders, **353**
non-gonococcal urethritis, Why common things are common: the tale of non-gonococcal urethritis, **139**
non-gonococcal urethritis; *Mycoplasma genitalium,* The role of *Mycoplasma genitalium* in non-gonococcal urethritis: *editorial,* **229**
notice of redundancy, The golden nugget, **299**
nucleic acid amplification, Use of nucleic acid amplification tests in investigating child sexual abuse: *editorial,* **153**
nucleoside reverse transcriptase inhibitors, Hyperlactataemia and hepatic steatosis: mitochondrial toxicity of nucleoside reverse transcriptase inhibitors, **381**

obituaries, Obituaries: *letter,* **150**
Old World, "The syphilis enigma": the riddle resolved?, **322**
older people, Attendance by older patients at a genitourinary medicine clinic, **289**
oral sex, An outbreak of early syphilis: cases from North Manchester General Hospital, **311**
Oral sex and HIV transmission: *editorial,* **307**
outcome measure, Detection or treatment: which outcome measure?: *letter,* **150**

papulonecrotic tuberculide, Papulonecrotic tuberculide of the glans penis: *letter,* **147**
patient access, Patient access to GUM clinics: *editorial,* **1**
peer education, The Gay Men's Task Force: the impact of peer education on the sexual health behaviour of homosexual men in Glasgow, **427**
pelvic arteriovenous malformation, Ejaculatory pain associated with a pelvic arteriovenous malformation, **385**
penile carcinoma, Lichen sclerosus of the glans is significantly associated with penile carcinoma: *letter,* **226**
perforation of prepuce, Dorsal perforation of prepuce due to locally erosive condylomata acuminata: *letter,* **77**
Personal view, Shimo la Mungu, **73**
pharmacokinetics, Antiretroviral drug concentrations in semen of HIV-1 infected men: *review,* **4**
podophyllin, Podophyllin office therapy against condyloma should be abandoned, **409**
podophyllotoxin, Podophyllin office therapy against condyloma should be abandoned, **409**
point of care diagnostics, Rapid and simple point of care diagnostics for STIs: *editorial,* **397**
polymerase chain reaction, Comparison of urine, first and second endourethral swabs for PCR based detection of genital *Chlamydia trachomatis* infection in male patients, **423**
Pooling urine samples for PCR screening of *C trachomatis urogenital* infection in women: *letter,* **76**
polymorphonuclear leucocytes, Endocervical Gram stain smears and their usefulness in the diagnosis of *Chlamydia trachomatis* , **103**
postal research, Questionnaires and postal research: more than just high response rates: *letter,* **148**
postal survey, The prevalence of *Chlamydia trachomatis* infection in male undergraduates: a postal survey, **111**
post-exposure prophylaxis, Post-exposure prophylaxis for human immunodeficiency virus: knowledge and experience of junior doctors, **444**
pregnancy, Third trimester screening or safer sex to prevent mother to child transmission of HIV: *letter,* **226**
prevalence, Hepatitis B and C viruses and sexually transmitted disease patients in Jamaica, **295**
primary genital herpes, Labial adhesions following severe primary genital herpes: *letter,* **75**
prostitution, Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy, **220**
protease inhibitors, Protease inhibitor related type III hyperlipoproteinaemia is common and not associated with apolipoprotein-E E2/E2 phenotype, **283**
protein binding, Antiretroviral drug concentrations in semen of HIV-1 infected men: *review,* **4**

quality, Clinical governance and genitourinary medicine, **453**

random measurement error, Implications of random measurement error in studies adjusting for sexual behaviours: *letter,* **302**
rectal gonorrhoea, Increase in sexually transmitted infections among homosexual men in Amsterdam in relation to HAART, **184**
reliability, Measuring sexual behaviour: methodological challenges in survey research, **84**
reproduction, *Chlamydia trachomatis* infection in an urban setting, **141**
research, Methodology for research into STI: *editorial,* **83**
research methods, Study size, **332**
rifampicin, Adverse reaction to antimycobacterials administered as a combination tablet with no reaction to the same drugs in isolation: *letter,* **392**
risk behaviours, Sexually transmitted infections and risk behaviours in women who have sex with women: *letter,* **79**
risk factors, Incident sexually transmitted infections and their risk factors in an Aboriginal community in Australia: a population based cohort study, **21**
Risk factors for active syphilis and TPHA seroconversion in a rural African population, **37**
Study of risk factors associated with HIV seropositivity in STD patients at Mumbai, India, **388**
role play, A randomised controlled trial of the effectiveness of combining video role play with traditional methods of delivering undergraduate medical education, **376**

safe sex, Safer sex in HIV infected patients in London: practices and risks: *letter,* **394**
sample size, Study size, **332**
screening, Cost effectiveness analysis of a population based screening programme for asymptomatic *Chlamydia trachomatis* infections in women by means of home obtained urine specimens, **276**
Effectiveness of a mass media campaign to recruit young adults for testing of *Chlamydia trachomatis* by use of home obtained and mailed samples, **416**
Gonorrhoea control programme in Athens, 1974–98, **458**
Prevalence of *Chlamydia trachomatis* infections in women attending six women's healthcare units in Kaunas, Lithuania, **459**
The acceptability of urinary LCR testing for *Chlamydia trachomatis* among participants in a probability sample survey of sexual attitudes and lifestyles, **194**
The prevalence of *Chlamydia trachomatis* infection in male undergraduates: a postal survey, **111**
Third trimester screening or safer sex to prevent mother to child transmission of HIV: *letter,* **226**
sector-wide approaches, Sector-wide approaches and STI control in Africa: *editorial,* **156**
self treatment, Self treatment among a sample of first time attenders at a genitourinary medicine clinic: *letter,* **462**
semen, Antiretroviral drug concentrations in semen of HIV-1 infected men: *review,* **4**
Senegal, Prevalence and risk factors of cervicovaginal HIV shedding among HIV-1 and HIV-2 infected women in Dakar, Senegal, **190**

seroconverting illness, Symptomatic HIV seroconverting illness is associated with more rapid neurological impairment, **199**
seroepidemiological studies, Prevalence of herpes simplex type 2 and syphilis serology among young adults in a rural Gambian community, **358**
serological testing, Guidelines for serological testing for syphilis: *letter*, **79**
serology, Sorting out the new HSV type specific antibody tests: *review*, **232**
sex workers, Where do sex workers go for health care? A community based study in Abidjan, Côte d'Ivoire, **351**
sexual behaviour, Demographic and behavioural profile of adults infected with chlamydia: a case-control study, **265**
Measuring sexual behaviour: methodological challenges in survey research, **84**
Sexual behaviour among youths at high risk for HIV-1 infection in Dar es Salaam, Tanzania, **255**
The acceptability of urinary LCR testing for *Chlamydia trachomatis* among participants in a probability sample survey of sexual attitudes and lifestyles, **194**
The Gay Men's Task Force: the impact of peer education on the sexual health behaviour of homosexual men in Glasgow, **427**
sexual behaviours, Implications of random measurement error in studies adjusting for sexual behaviours: *letter*, **302**
sexual desire, Female low sexual desire and sexually transmitted infections, **293**
sexual health, Attendance by older patients at a genitourinary medicine clinic, **289**
Surveys on sexual health: recent developments and future directions, **238**
sexual health service use, The Gay Men's Task Force: the impact of peer education on the sexual health behaviour of homosexual men in Glasgow, **427**
sexual health services, Choosing and using services for sexual health: women's views: *editorial*, **305**
sexual risk factors, Sexual and demographic risk factors for herpes simplex type 1 and 2 in women attending an antenatal clinic, **413**
sexual transmission, An investigation of condom use by frequency of sex, **433**
sexually shared infections, Sexually shared infections: *letter*, **149**
sexually transmitted diseases, Circumcision and STD in the United States: *letter*, **462**
Incidence of recurrent diagnoses of *Chlamydia trachomatis* genital infections among male and female soldiers of the US army, **33**
Predictors of repeat *Chlamydia trachomatis* infections diagnosed by DNA amplification testing among inner city females, **26**
Prevalence of infectious diseases in Bangladeshi women living adjacent to a truck stand: HIV/STD/hepatitis/genital tract infections, **344**
Prevalence of STDs and HIV infection among immigrant sex workers attending an STD centre in Bologna, Italy, **220**
STD history, self treatment, and healthcare behaviours among fishermen in the Gulf of Thailand and the Andaman Sea, **436**
Study of risk factors associated with HIV seropositivity in STD patients at Mumbai, India, **388**
"*That sort of place . . .where filthy men go . . .*": a qualitative study of women's perceptions of genitourinary medicine services, **340**
The acceptability of urinary LCR testing for *Chlamydia trachomatis* among participants in a probability sample survey of sexual attitudes and lifestyles, **194**
The Bali STD/AIDS study: association between vaginal hygiene practices and STDs among sex workers, **46**
sexually transmitted infection clinics, Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom, **107**
Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom: *letter*, **303**
sexually transmitted infections, Choosing and using services for sexual health: a qualitative study of women's views, **335**
Destigmatising STIs: remaining challenges, new opportunities: *editorial*, **306**
Ethnicity and STIs: more than black and white: *editorial*, **2**
Female low sexual desire and sexually transmitted infections, **293**
Genital piercing and sexually transmitted infections: *letter*, **393**
Incident sexually transmitted infections and their risk factors in an Aboriginal community in Australia: a population based cohort study, **21**
Is bacterial vaginosis a sexually transmitted infection?, **63**
Is bacterial vaginosis a sexually transmitted infection: *letter*, **390**
Methodology for research into STI: *editorial*, **83**
Passion, stigma, and STI, **370**
Rapid and simple point of care diagnostics for STIs: *editorial*, **397**
Resurgence of syphilis in England: time for more radical and nationally coordinated approaches: *editorial*, **309**
Sector-wide approaches and STI control in Africa: *editorial*, **156**
Sexually transmitted infections among married women in Dhaka, Bangladesh: unexpected high prevalence of herpes simplex type 2 infection, **114**
Sexually transmitted infections and risk behaviours in women who have sex with women: *letter*, **79**
Sexually transmitted infections and vaginal douching in a population of female sex workers in Nairobi, Kenya, **271**
sialidase, Mucinases and sialidases: their role in the pathogenesis of sexually transmitted infections in the female genital tract: *review*, **402**
Siberia, Hepatitis B and C seroprevalence in Novosibirsk, western Siberia: *letter*, **463**
Society of Apothecaries, The Society of Apothecaries Diploma examination in Genitourinary Medicine: death of the viva voce?: *letter*, **223**
South East Asia, STD history, self treatment, and healthcare behaviours among fishermen in the Gulf of Thailand and the Andaman Sea, **436**
split, Split median raphe: a cause of concern?, **138**
squamous intraepithelial lesion, The interrelation of HIV, cervical human papillomavirus, and neoplasia among antenatal clinic attenders in Tanzania, **248**
STD centre, Substantial increase in gonorrhoea among homosexual men attending an STD centre in Toulouse, France: *letter*, **391**
STD clinic, Increasing HIV prevalence in STD clinic attendees in Delhi, India: 6 year (1995–2000) hospital based study results: *letter*, **393**
study design, Cohort studies in sexual health, **174**
HIV seroconversion interval and demographic characteristics: no evidence of selection bias, **446**
study size, Study size, **332**
surveillance, GRASP: a new national sentinel surveillance initiative for monitoring gonococcal antimicrobial resistance in England and Wales: *editorial*, **398**
survey, Measuring sexual behaviour: methodological challenges in survey research, **84**
Surveys on sexual health: recent developments and future directions, **238**
The acceptability of urinary LCR testing for *Chlamydia trachomatis* among participants in a probability sample survey of sexual attitudes and lifestyles, **194**
syphilis, An outbreak of early syphilis: cases from North Manchester General Hospital, **311**
Assessing the impact of national anti-HIV sexual health campaigns: trends in the transmission of HIV and other sexually transmitted infections in England, **242**
Guidelines for serological testing for syphilis: *letter*, **79**
Homosexual men, HIV, and sexual risk in 2001: *letter*, **325**
Increase in sexually transmitted infections among homosexual men in Amsterdam in relation to HAART, **184**
Resurgence of syphilis in England: time for more radical and nationally coordinated approaches: *editorial*, **309**
Risk factors for active syphilis and TPHA seroconversion in a rural African population, **37**
Surfing with spirochaetes: an ongoing syphilis outbreak in Brighton, **319**
Syphilis in the fens, **314**
Syphilis: mimicking yet another disease!: *letter*, **325**
The control of syphilis, a contemporary problem: a historical perspective: *review*, **214**
The great pretender returns to Dublin, Ireland, **316**
"The syphilis enigma": the riddle resolved?, **322**
Trends of gonorrhoea and early syphilis in Belgrade, 1985–99, **387**
Syringomata: an unusual differential diagnosis of anogenital warts, **292**

teenagers, A novel condom policy for young attenders at a sexual health clinic, **287**
Trichomonas vaginalis, A mobile phone text message and *Trichomonas vaginalis*: *letter*, **225**
Urine proves a poor specimen for culture of *Trichomonas vaginalis* in women: *letter*, **78**
Trinidad, Prevalence of *Chlamydia trachomatis* IgG antibodies in antenatal patients from Trinidad: *letter*, **301**
trovofloxacin, Trovofloxacin for the treatment of chronic granuloma inguinale, **137**
truck drivers, Prevalence of infectious diseases in Bangladeshi women living adjacent to a truck stand: HIV/STD/hepatitis/genital tract infections, **344**

United Kingdom, Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom, **107**
Cervical cytology smears in sexually transmitted infection clinics in the United Kingdom: *letter*, **303**
Ethics committee review of medical audit: a personal view from the United Kingdom, **69**
Ethics committee review of medical audit: a personal view from the United Kingdom, **72**
The control of syphilis, a contemporary problem: a historical perspective: *review*, **214**
United States, Circumcision and STD in the United States: *letter*, **462**
Incidence of recurrent diagnoses of *Chlamydia trachomatis* genital infections among male and female soldiers of the US army, **33**
The control of syphilis, a contemporary problem: a historical perspective: *review*, **214**
urethritis, Aetiology of urethral discharge in Bangui, Central African Republic, **125**

urine, Comparison of urine, first and second endourethral swabs for PCR based detection of genital *Chlamydia trachomatis* infection in male patients, **423**
Typing of *Chlamydia trachomatis* strains from urine samples by amplification and sequencing the major outer membrane protein gene (*omp1*) , **419**
urine samples, *Chlamydia trachomatis*, Pooling urine samples for PCR screening of *C trachomatis* urogenital infection in women: *letter,* **76**
Urine proves a poor specimen for culture of *Trichomonas vaginalis* in women: *letter,* **78**

vaginal candidosis, An investigation into the pathogenesis of vulvo-vaginal candidosis, **179**
vaginal douching, Sexually transmitted infections and vaginal douching in a population of female sex workers in Nairobi, Kenya, **271**
vaginal pathogen, Is *Mycoplasma hominis* a vaginal pathogen?, **58**
Is *Mycoplasma hominis* a vaginal pathogen?: *letter,* **302**
validity, Measuring sexual behaviour: methodological challenges in survey research, **84**
video assessment, A randomised controlled trial of the effectiveness of combining video role play with traditional methods of delivering undergraduate medical education, **376**
vulvar vestibulitis, Cromolyn cream for recalcitrant idiopathic vulvar vestibulitis: results of a placebo controlled study, **53**

women, Pooling urine samples for PCR screening of *C trachomatis* urogenital infection in women: *letter,* **76**
Prevalence and risk factors of HSV-1 and HSV-2 antibodies in European HIV infected women, **120**
Urine proves a poor specimen for culture of *Trichomonas vaginalis* in women: *letter,* **78**
women's views, Choosing and using services for sexual health: women's views: *editorial,* **305**

youth, Sexual behaviour among youths at high risk for HIV-1 infection in Dar es Salaam, Tanzania, **255**
Yugoslavia, Trends of gonorrhoea and early syphilis in Belgrade, 1985–99, **387**